

Anti-SNAI3 Picoband Antibody
Catalog # ABO12130**Specification**

Anti-SNAI3 Picoband Antibody - Product Information

Application	WB
Primary Accession	Q3KNW1
Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Format	Lyophilized

Description

Rabbit IgG polyclonal antibody for Zinc finger protein SNAI3(SNAI3) detection. Tested with WB in Human.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-SNAI3 Picoband Antibody - Additional Information

Gene ID 333929

Other Names

Zinc finger protein SNAI3, Protein snail homolog 3, Zinc finger protein 293, SNAI3, ZNF293

Calculated MW

32474 MW KDa

Application Details

Western blot, 0.1-0.5 µg/ml, Human

Subcellular Localization

Nucleus .

Protein Name

Zinc finger protein SNAI3

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

Immunogen

A synthetic peptide corresponding to a sequence in the middle region of human SNAI3 (155-178aa FHCHKPYHTLAGLARHRQLHCHLQ), different from the related mouse sequence by two amino acids.

Purification

Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins

Storage

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Sequence Similarities

Belongs to the snail C2H2-type zinc-finger protein family.

Anti-SNAI3 Picoband Antibody - Protein Information

Name SNAI3

Synonyms ZNF293

Function

Seems to inhibit myoblast differentiation. Transcriptional repressor of E-box-dependent transactivation of downstream myogenic bHLHs genes. Binds preferentially to the canonical E-box sequences 5'-CAGGTG-3' and 5'-CACCTG-3' (By similarity).


Cellular Location

Nucleus.

Anti-SNAI3 Picoband Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-SNAI3 Picoband Antibody - Images

Anti- SNAI3 Picoband antibody, ABO12130, Western blottingAll lanes: Anti SNAI3 (ABO12130) at 0.5ug/mlWB: MCF-7 Whole Cell Lysate at 40ugPredicted bind size: 32KDObserved bind size: 32KD

Anti-SNAI3 Picoband Antibody - Background

SNAI3 is a member of the SNAIL gene family, named for the Drosophila snail gene, which plays roles in mesodermal formation during embryogenesis. SNAI3 gene, was located between KIAA0233 gene and CBFA2T3 gene in human chromosome 16q24.3, a region affected in breast cancer, gastric cancer, hepatocellular carcinoma, ovarian cancer, and therapy-related myeloid leukemia with t(16;21)(q24;q22) translocation. Human SNAI3 gene was found to encode 292-amino-acid polypeptide with the N-terminal SNAG domain and five zinc finger domains. And Human SNAI3 mRNA was expressed in skin melanotic melanoma, lung epidermoid carcinoma, and germ cell tumor. Because SNAG zinc-finger proteins are transcriptional repressors implicated in carcinogenesis and embryogenesis, SNAI3 gene might be a potent target of pharmacogenomics in the field of oncology and regenerative medicine.