

Anti-Prolactin Antibody

Catalog # ABO12706

Specification

Anti-Prolactin Antibody - Product Information

Application WB
Primary Accession P06879
Host Reactivity Mouse
Clonality Polyclonal
Format Lyophilized

Description

Rabbit IgG polyclonal antibody for Prolactin(PRL) detection. Tested with WB, ELISA in Mouse.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-Prolactin Antibody - Additional Information

Other Names Prolactin, PRL, Prl

Calculated MW 25496 MW KDa

Application Details

ELISA , 0.1-0.5 μg/ml, Mouse, -
Western blot, 0.1-0.5 μg/ml, Mouse

Subcellular Localization

Secreted.

Protein Name

Prolactin(PRL)

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

Immunogen

E. coli-derived mouse Prolactin recombinant protein(Position: L30-C226).

Purification

Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins

Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a



longer time. Avoid repeated freezing and thawing.

Anti-Prolactin Antibody - Protein Information

Name Prl

Function

Prolactin acts primarily on the mammary gland by promoting lactation.

Cellular Location Secreted.

Anti-Prolactin Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Prolactin Antibody - Images

100KD — 70KD — 55KD — 35KD — 25KD — —

Western blot analysis of Prolactin expression in mouse testis extract (lane 1). Prolactin at 26KD was detected using rabbit anti- Prolactin Antigen Affinity purified polyclonal antibody (Catalog # ABO12706) at 0.5 ??g/mL. The blot was developed using chemiluminescence (ECL) method.

Anti-Prolactin Antibody - Background

Prolactin(PRL) also known as luteotropic hormone(LTH) is a protein that in humans is encoded by the PRL gene. Prolactin is a peptide hormone discovered by Henry Friesen. Although it is perhaps best known for its role in lactation, prolactin already existed in the oldest known vertebrates-fishes-where its most important functions were probably related to control of water and salt balance. Prolactin also acts in a cytokine-like manner and as an important regulator of the





Tel: 858.875.1900 Fax: 858.875.1999

immune system. Prolactin has important cell cycle related functions as a growth-, differentiatingand anti-apoptotic factor. As a growth factor binding to cytokine like receptors it has also profound influence on hematopoiesis, angiogenesis and is involved in the regulation of blood clotting through several pathways.