

BMP-3 Antibody

Rabbit Polyclonal Antibody Catalog # ABV11038

Specification

BMP-3 Antibody - Product Information

Application WB
Primary Accession P12645

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 53372

BMP-3 Antibody - Additional Information

Gene ID 651

Application & Usage The antibody can be used in Western Blot

analysis (0.5-4 μ g/ml).

Other Names

BMP3, BMP-3, BMP 3, bone morphogenetic protein 3, Osteogenin; BMP-3A, BMP3A, BMP 3A

Target/Specificity

BMP-3

Antibody Form

Liquid

Appearance

Colorless liquid

Formulation

 $100~\mu g$ (0.5 mg/ml) affinity purified anti-BMP-3 polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA, 0.01% thimerosal.

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage

-20 °C

Background Descriptions

Precautions

BMP-3 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

BMP-3 Antibody - Protein Information



Name BMP3

Synonyms BMP3A

Function

Growth factor of the TGF-beta superfamily that plays an essential role in developmental process by inducing and patterning early skeletal formation and by negatively regulating bone density. Antagonizes the ability of certain osteogenic BMPs to induce osteoprogenitor differentiation and ossification (PubMed:11138004, PubMed:15269709). Initiates signaling cascades by associating with type II receptor ACVR2B to activate SMAD2-dependent and SMAD-independent signaling cascades including TAK1 and JNK pathways (PubMed:31665064).

Cellular Location Secreted.

Tissue Location

Expressed in adult and fetal cartilage.

BMP-3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

BMP-3 Antibody - Images

BMP-3 Antibody - Background

BMPs (bone morphogenetic proteins) belong to the TGF-β superfamily of structurally related signaling proteins. As implied by their name, BMPs promote and regulate bone development, growth, remodeling and repair, in both prenatal development and postnatal growth of eye, heart, kidney, skin, and other tissues. Recombinant human BMP-3 is a 31.6 kDa homodimeric protein consisting of two 134 amino acid polypeptide chains.