

Anti-Cadherin 20 Antibody
Rabbit Polyclonal Antibody
Catalog # ABV11868**Specification**

Anti-Cadherin 20 Antibody - Product Information

Application	IHC, IF, WB
Primary Accession	Q9HBT6
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	88993

Anti-Cadherin 20 Antibody - Additional Information**Gene ID** 28316

Positive Control	WB: HeLa, mouse liver, rat liver; IHC: human brain tissue: IFC: Hela cells
Application & Usage	WB; 1:500 - 1:2000, IHC; 1:50 - 1:200, IF/IC; 1:50 - 1:100
Alias Symbol	CDH20
Other Names	
CDH7L3, Cadherin-20	

Appearance

Colorless liquid

Formulation

In 0.42% Potassium phosphate; 0.87% Sodium chloride; pH 7.3; 30% glycerol and 0.01% sodium azide

Reconstitution & Storage

-20 °C

Background Descriptions**Precautions**

Anti-Cadherin 20 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-Cadherin 20 Antibody - Protein Information**Name** CDH20**Synonyms** CDH7L3

Function

Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types.

Cellular Location

Cell membrane; Single-pass type I membrane protein


Tissue Location

Expressed in placenta, adult brain, and fetal brain


Anti-Cadherin 20 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Cadherin 20 Antibody - Images

Immunohistochemical analysis of Cadherin 20 staining in H.brain formalin fixed paraffin embedded tissue section.



Immunofluorescent analysis of cadherin 20 staining in HeLa cells.



Western blot analysis of Cadherin 20 expression in HeLa(A); M.liver(B); R.liver(C) whole cell lysates.

Anti-Cadherin 20 Antibody - Background

Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types.