10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Goat Anti-KLF3 / BKLF Antibody
Peptide-affinity purified goat antibody
Catalog # AF1595a

Specification

Goat Anti-KLF3 / BKLF Antibody - Product Information

Application	**WB**
Primary Accession	P57682
Other Accession	NP_057615, 51274
Reactivity	**Human**
Predicted	**Mouse, Rat, Pig, Dog, Cow**
Host	**Goat**
Clonality	**Polyclonal**
Concentration	**100ug/200ul**
Isotype	**IgG**
Calculated MW	**38829**

Goat Anti-KLF3 / BKLF Antibody - Additional Information

Gene ID 51274

Other Names
Krueppel-like factor 3, Basic krueppel-like factor, CACCC-box-binding protein BKLF, TEF-2, KLF3, BKLF

Format
0.5 mg IgG/ml in Tris saline (20mM Tris pH7.3, 150mM NaCl), 0.02% sodium azide, with 0.5% bovine serum albumin

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
Goat Anti-KLF3 / BKLF Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Goat Anti-KLF3 / BKLF Antibody - Protein Information

Name KLF3

Synonyms BKLF

Function
Binds to the CACCC box of erythroid cell-expressed genes. May play a role in hematopoiesis (By similarity).


Cellular Location
Nucleus.

Goat Anti-KLF3 / BKLF Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Goat Anti-KLF3 / BKLF Antibody - Images



AF1595a staining (1 µg/ml) of Human Heart lysate (RIPA buffer, 35 µg total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

Goat Anti-KLF3 / BKLF Antibody - References

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086.
Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.
Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121.
Targeted disruption of the basic Kr□ppel-like factor gene (Klf3) reveals a role in adipogenesis. Sue N, et al. Mol Cell Biol, 2008 Jun. PMID 18391014.
Global, in vivo, and site-specific phosphorylation dynamics in signaling networks. Olsen JV, et al. Cell, 2006 Nov 3. PMID 17081983.