

**FOXD2 Antibody (C-Term)**  
**Peptide-affinity purified goat antibody**  
**Catalog # AF2347a****Specification**

---

**FOXD2 Antibody (C-Term) - Product Information**

|                   |                                                                                    |
|-------------------|------------------------------------------------------------------------------------|
| Application       | E                                                                                  |
| Primary Accession | <a href="#">O60548</a>                                                             |
| Other Accession   | <a href="#">NP_004465.3</a> , <a href="#">2306</a> , <a href="#">17301 (mouse)</a> |
| Predicted         | Human, Mouse, Rat                                                                  |
| Host              | Goat                                                                               |
| Clonality         | Polyclonal                                                                         |
| Concentration     | 0.5 mg/ml                                                                          |
| Isotype           | IgG                                                                                |
| Calculated MW     | 48748                                                                              |

**FOXD2 Antibody (C-Term) - Additional Information****Gene ID** 2306**Other Names**

Forkhead box protein D2, Forkhead-related protein FKHL17, Forkhead-related transcription factor 9, FREAC-9, FOXD2, FKHL17, FREAC9

**Format**

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FOXD2 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

**FOXD2 Antibody (C-Term) - Protein Information****Name** FOXD2**Synonyms** FKHL17, FREAC9**Function**

Probable transcription factor involved in embryogenesis and somatogenesis.

**Cellular Location**

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089}.

**Tissue Location**

Kidney specific..

**FOXD2 Antibody (C-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**FOXD2 Antibody (C-Term) - Images****FOXD2 Antibody (C-Term) - References**

A winged helix forkhead (FOXD2) tunes sensitivity to cAMP in T lymphocytes through regulation of cAMP-dependent protein kinase R1alpha. Johansson CC, Dahle MK, Blomqvist SR, Gronning LM, Aandahl EM, Enerback S, Tasken K. J Biol Chem. 2003 May 9;278(19):17573-9. Epub 2003 Mar 05. PMID: 12621056