10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PARP12 Antibody (internal region)

Peptide-affinity purified goat antibody
Catalog # AF2498a

Specification

PARP12 Antibody (internal region) - Product Information

Application	**IF, E**
Primary Accession	Q9H0J9
Other Accession	NP_073587.1, 64761
Reactivity	**Human**
Predicted	**Dog**
Host	**Goat**
Clonality	**Polyclonal**
Concentration	**0.5 mg/ml**
Isotype	**IgG**
Calculated MW	**79064**

PARP12 Antibody (internal region) - Additional Information

Gene ID 64761

Other Names
Poly [ADP-ribose] polymerase 12, PARP-12, 2.4.2.30, ADP-ribosyltransferase diphtheria toxin-like 12, ARTD12, Zinc finger CCCH domain-containing protein 1, PARP12, ZC3HDC1

Format
0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
PARP12 Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

PARP12 Antibody (internal region) - Protein Information

Name PARP12 {ECO:0000303|PubMed:20106667, ECO:0000312|HGNC:HGNC:21919}

Function
Mono-ADP-ribosyltransferase that mediates mono-ADP- ribosylation of target proteins.

Cellular Location
Nucleus.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PARP12 Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PARP12 Antibody (internal region) - Images

PARP12 Antibody (internal region) - References

Identification and characterization of human TIPARP gene within the CCNL amplicon at human chromosome 3q25.31. Katoh M, Katoh M. Int J Oncol. 2003 Aug;23(2):541-7. PMID: 12851707