

FRAG1 (mouse) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF2558a**Specification**

FRAG1 (mouse) Antibody (internal region) - Product Information

Application	E
Primary Accession	Q4QY64.1
Other Accession	NP_001025027.1 , 237877 (mouse) , 303348 (rat)
Predicted	Mouse, Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

FRAG1 (mouse) Antibody (internal region) - Additional Information**Other Names**

Atad5; ATPase family, AAA domain containing 5; C17orf41; chromosome 17 open reading frame 41; FLJ12735; FRAG1 ; chromosome fragility associated gene 1; hypothetical protein LOC237877; RP23-328O2.1; C130052G03Rik

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FRAG1 (mouse) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

FRAG1 (mouse) Antibody (internal region) - Protein Information**FRAG1 (mouse) Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

FRAG1 (mouse) Antibody (internal region) - Images**FRAG1 (mouse) Antibody (internal region) - References**

Frag1, a homolog of alternative replication factor C subunits, links replication stress surveillance with apoptosis. Ishii H, Inageta T, Mimori K, Saito T, Sasaki H, Isobe M, Mori M, Croce CM, Huebner K, Ozawa K, Furukawa Y. Proc Natl Acad Sci U S A. 2005 Jul 5;102(27):9655-60. Epub 2005 Jun 27. PMID: 15983387