10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Robo3 (mouse) Antibody (internal region)

Peptide-affinity purified goat antibody
Catalog # AF2575a

Specification

Robo3 (mouse) Antibody (internal region) - Product Information

Application	**E**
Primary Accession	Q9Z2I4.2
Other Accession	NP_035378.1, AAD11628.1, 19649 (mouse), 315564 (rat)
Predicted	**Mouse, Rat**
Host	**Goat**
Clonality	**Polyclonal**
Concentration	**0.5 mg/ml**
Isotype	**IgG**

Robo3 (mouse) Antibody (internal region) - Additional Information

Other Names
Robo3; roundabout homolog 3 (Drosophila); Rbig1; RIG1; Rig-1; Robo3a; Robo3b; retinoblastoma inhibiting gene 1

Format
0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
Robo3 (mouse) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Robo3 (mouse) Antibody (internal region) - Protein Information

Robo3 (mouse) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety

- Cell Culture

Robo3 (mouse) Antibody (internal region) - Images

Robo3 (mouse) Antibody (internal region) - Background

Both variants represent identical protein

Robo3 (mouse) Antibody (internal region) - References

Differential roles of MDA5 and RIG-I helicases in the recognition of RNA viruses. Kato H, Takeuchi O, Sato S, Yoneyama M, Yamamoto M, Matsui K, Uematsu S, Jung A, Kawai T, Ishii KJ, Yamaguchi O, Otsu K, Tsujimura T, Koh CS, Reis e Sousa C, Matsuura Y, Fujita T, Akira S. Nature. 2006 May 4;441(7089):101-5. Epub 2006 Apr 9. PMID: 16625202