

Hap1 (mouse) Antibody (C-Term)
Peptide-affinity purified goat antibody
Catalog # AF2578a**Specification**

Hap1 (mouse) Antibody (C-Term) - Product Information

Application	WB
Primary Accession	O35668.1
Other Accession	NP_034534.1 , 15114 (mouse) , 29430 (rat)
Reactivity	Mouse, Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

Hap1 (mouse) Antibody (C-Term) - Additional Information**Other Names**

Hap1; huntingtin-associated protein 1; RP23-392I3.11, HAP-1, MGC31449

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


Hap1 (mouse) Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

Hap1 (mouse) Antibody (C-Term) - Protein Information**Hap1 (mouse) Antibody (C-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Hap1 (mouse) Antibody (C-Term) - Images



AF2578a (0.1 µg/ml) staining of Mouse Brain lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Hap1 (mouse) Antibody (C-Term) - References

Regulation of intracellular trafficking of huntingtin-associated protein-1 is critical for TrkA protein levels and neurite outgrowth. Rong J, McGuire JR, Fang ZH, Sheng G, Shin JY, Li SH, Li XJ. J Neurosci. 2006 May 31;26(22):6019-30. PMID: 16738245