10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Timp2 (zebrafish) Antibody (internal region)

Peptide-affinity purified goat antibody
Catalog # AF2609a

Specification

Timp2 (zebrafish) Antibody (internal region) - Product Information

Application	**E**
Other Accession	NP_878294.1
Predicted	**Zebrafish**
Host	**Goat**
Clonality	**Polyclonal**
Concentration	**0.5 mg/ml**
Isotype	**IgG**

Timp2 (zebrafish) Antibody (internal region) - Additional Information

Other Names
timp2; tissue inhibitor of metalloproteinase 2 ; MGC136726; etID32613.12; fa96h09; wu:fa96h09; zgc:136726

Format
0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
Timp2 (zebrafish) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Timp2 (zebrafish) Antibody (internal region) - Protein Information

Timp2 (zebrafish) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Timp2 (zebrafish) Antibody (internal region) - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Timp2 (zebrafish) Antibody (internal region) - Background

This antibody is not expected to cross-react to Timp2L.

Timp2 (zebrafish) Antibody (internal region) - References

The expression of tissue inhibitor of metalloproteinase 2 (TIMP-2) is required for normal development of zebrafish embryos. Zhang J, Bai S, Tanase C, Nagase H, Sarras MP Jr. Dev Genes Evol. 2003 Aug;213(8):382-9. Epub 2003 May 8. PMID: 12736828