

LY6E (mouse) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3275a**Specification**

LY6E (mouse) Antibody (internal region) - Product Information

Application	IHC, E
Primary Accession	O16553.1
Other Accession	NP_002337.1 , 17069 (mouse)
Reactivity	Mouse
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

LY6E (mouse) Antibody (internal region) - Additional Information**Other Names**

LY6E; lymphocyte antigen 6 complex, locus E; RIG-E; RIGE; SCA-2; SCA2; TSA-1; retinoic acid induced gene E

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LY6E (mouse) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

LY6E (mouse) Antibody (internal region) - Protein Information**LY6E (mouse) Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LY6E (mouse) Antibody (internal region) - Images**LY6E (mouse) Antibody (internal region) - Background**

Reported variants represent identical protein: NP_002337.1, NP_001120685.1

LY6E (mouse) Antibody (internal region) - References

Analysis of SCA2 and SCA3/MJD repeats in Parkinson's disease in mainland China: genetic, clinical, and positron emission tomography findings. Wang JL, Xiao B, Cui XX, Guo JF, Lei LF, Song XW, Shen L, Jiang H, Yan XX, Pan Q, Long ZG, Xia K, Tang BS, Movement disorders : official journal of the Movement Disorder Society 2009 Oct 24 (13): 2007-11. PMID: 19672991