

ASNSD1 Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3325a**Specification**

ASNSD1 Antibody (internal region) - Product Information

Application	WB
Primary Accession	O9NWL6
Other Accession	NP_061921.1 , 54529
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	72080

ASNSD1 Antibody (internal region) - Additional Information**Gene ID** 54529**Other Names**

Asparagine synthetase domain-containing protein 1, HCV NS3-transactivated protein 1, ASNSD1, NS3TP1

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


ASNSD1 Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

ASNSD1 Antibody (internal region) - Protein Information**Name** ASNSD1**Synonyms** NS3TP1**ASNSD1 Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ASNSD1 Antibody (internal region) - Images



HEK293 lysate (10ug protein in RIPA buffer) overexpressing Human ASNSD1 with DYKDDDDK tag probed with AF3325a (1ug/ml) in Lane A and probed with anti-DYKDDDDK Tag (1/10000) in lane C. Mock-transfected HEK293 probed with AF3325a (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.

ASNSD1 Antibody (internal region) - References

Construction of eukaryotic expression plasmid containing HCV NS3 segment and protein expression in human HL-7702 hepatocytes. Li JW, Li K, Jiang J, Xu XL, Huang ZQ, World journal of gastroenterology : WJG 2006 Feb 12 (7): 1038-42. PMID: 16534843