

BCL2L15 Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3342a**Specification**

BCL2L15 Antibody (internal region) - Product Information

Application	E
Primary Accession	Q5TBC7
Other Accession	NP_001010922.1 , 440603
Predicted	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	17725

BCL2L15 Antibody (internal region) - Additional Information**Gene ID** 440603**Other Names**

Bcl-2-like protein 15, Bcl2-L-15, BCL2L15, C1orf178

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

BCL2L15 Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

BCL2L15 Antibody (internal region) - Protein Information**Name** BCL2L15**Synonyms** C1orf178**BCL2L15 Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BCL2L15 Antibody (internal region) - Images**BCL2L15 Antibody (internal region) - References**

Bfk, a novel member of the bcl2 gene family, is highly expressed in principal cells of the mouse epididymis and demonstrates a predominant nuclear localization. Pujiato DA, Damdimopoulos AE, Sipilä P, Jalkanen J, Huhtaniemi I, Poutanen M, Endocrinology 2007 Jul 148 (7): 3196-204. PMID: 17412810