

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide

Rat Monoclonal Antibody [Clone IBL-6/23]
Catalog # AH10906

Specification

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Product Information

Application	,3,4,
Primary Accession	P01831
Other Accession	21838 (Mouse) , 3951 (Mouse)
Reactivity	Mouse
Host	Rat
Clonality	Monoclonal
Isotype	Rat / IgG1, kappa
Calculated MW	25kDa KDa

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Additional Information

Gene ID 21838

Other Names

Thy-1 membrane glycoprotein, Thy-1 antigen, CD90, Thy1, Thy-1

Format

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage

Store at 2 to 8°C. Antibody is stable for 24 months.

Precautions

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide is for research use only and not for use in diagnostic or therapeutic procedures.

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Protein Information

Name Thy1

Synonyms Thy-1

Function

May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain.

Cellular Location

Cell membrane; Lipid-anchor, GPI-anchor.

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Images

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - Background

Recognizes a protein of 25kDa, identified as mouse Thy-1 (also known as CD90). It is a glycosyl phosphatidylinositol-anchored surface glycoprotein. CD90 is a member of the immunoglobulin superfamily. It may contribute to inhibition of proliferation/differentiation of hematopoietic stem cells and neuron memory formation in the CNS. It consists of a single Ig domain (112 amino acids; 25-35kDa) inserted into the cell membrane via a GPI anchor. Thy-1 is expressed mainly on brain and lymphoid tissues including thymocytes, Peripheral T-cells, and some intraepithelial T-lymphocytes. Thy-1 may play a role in T cell activation, development and function of nervous system, and apoptosis.

CD90 / Thy1 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody - With BSA and Azide - References

Beissert S et al. Impaired cutaneous immune responses in Thy-1-deficient mice. J Immunol 1998, 161(10):5296-302 Williams, A.F., and J. Gagnon. 1982. Neuronal cell Thy-1 glycoprotein: Homology with immunoglobulin. Science 216: 696 - 703 Fujita N et al. Aggregation of Thy-1 glycoprotein induces thymocyte apoptosis through activation of CPP32-like proteases. Exp Cell Res 1997, 232(2):400-406 Kroczeck, R.A., K.C. Gunter, R.N. Germain, and E.M. Shevach. 1986. Thy-1 functions as a signal transduction molecule in T lymphocytes and transfected B lymphocytes. Nature 322: 181 - 184