

HOXA2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10394**Specification**

HOXA2 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O43364
Other Accession	NM_006735 , NP_006726
Reactivity	Human, Mouse, Rat, Pig, Horse, Yeast, Bovine, Dog
Predicted	Mouse, Rat, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	41kDa KDa

HOXA2 antibody - C-terminal region - Additional Information**Gene ID** 3199

Alias Symbol	HOX1K
Other Names	
Homeobox protein Hox-A2, Homeobox protein Hox-1K, HOXA2, HOX1K	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-HOXA2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

HOXA2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HOXA2 antibody - C-terminal region - Protein Information**Name** HOXA2**Synonyms** HOX1K**Function**

Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis.

Cellular Location


Nucleus.

HOXA2 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HOXA2 antibody - C-terminal region - Images



WB Suggested Anti-HOXA2 Antibody

Titration: 1. µg/ml

Positive Control: ACHN Whole Cell