

**ASGR1 antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI10564****Specification**

---

**ASGR1 antibody - N-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q6FGQ5</a>                                |
| Other Accession   | <a href="#">NM_001671</a> , <a href="#">NP_001662</a> |
| Reactivity        | Human, Mouse, Rat, Pig, Horse, Yeast, Bovine          |
| Predicted Host    | Human, Mouse, Bovine, Dog                             |
| Clonality         | Rabbit                                                |
| Calculated MW     | Polyclonal<br>33kDa KDa                               |

**ASGR1 antibody - N-terminal region - Additional Information**

Alias Symbol **HL-1, ASGPR, ASGPR1, CLEC4H1**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 100 ul of distilled water. Final anti-ASGR1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

ASGR1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


**ASGR1 antibody - N-terminal region - Protein Information****ASGR1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ASGR1 antibody - N-terminal region - Images**

---

**ASGR1**


**Host:**Rabbit

**Target Name:**ASGR1

**Sample Tissue:**HepG2

**Antibody Dilution:**1.µg/ml

ASGR1 is supported by BioGPS gene expression data to be expressed in HepG2


**ASGR1**

**Host:**Rabbit


**Target Name:**ASGR1

**Sample Tissue:**Jurkat


**Antibody Dilution:**1.µg/ml

**ASGR1**


**Host:**Rabbit  
**Target Name:**ASGR1  
**Sample Tissue:**MCF7  
**Antibody Dilution:**1.µg/ml



**Host:**Rabbit  
**Target Name:**ASGR1  
**Sample Tissue:**721\_B  
**Antibody Dilution:**1.µg/ml




**Host:** Rabbit




**Host:** Rabbit  
**Target Name:** ASGR1


Sample Tissue: Human Fetal Heart  
Antibody Dilution: 1.0µg/ml




Host: Rabbit  
Target Name: ASGR1  
Sample Tissue: Human Fetal Lung  
Antibody Dilution: 1.0µg/ml



Host: Rabbit Target Name: ASGR1 Sample Tissue: Human Fetal Kidney Antibody Dilution: 1.0ug/ml



Host: Rabbit Target Name: ASGR1 Sample Tissue: Human Adult Placenta Antibody Dilution: 1.0ug/ml

**ASGR1**

Host: Rabbit Target Name: ASGR1 Sample Tissue: 293T Antibody Dilution: 1.0ug/ml

**ASGR1 antibody - N-terminal region - References**

Saunier,B., et al., (2003) J. Virol. 77(1), 546-59  
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.