

MYNN antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10658**Specification**

MYNN antibody - middle region - Product Information

Application	WB
Primary Accession	Q86Z12
Other Accession	NM_018657 , NP_061127
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	69kDa KDa

MYNN antibody - middle region - Additional Information

Alias Symbol **OSZF, SBBIZ1, ZBTB31, ZNF902**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-MYNN antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


MYNN antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

MYNN antibody - middle region - Protein Information**MYNN antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYNN antibody - middle region - Images



WB Suggested Anti-MYNN Antibody Titration: 1.25 μ g/ml

ELISA Titer: 1:62500

Positive Control: HepG2 cell lysate

MYNN antibody - middle region - References

Schmid, S.R., et al., (2004) Muscle Nerve 29 (1), 59-65
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.