

SUV420H1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10690**Specification**

SUV420H1 antibody - C-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q4V775
Other Accession	NM_016028 , AAH98121
Reactivity	Human, Mouse, Rat, Horse, Dog
Predicted	Human, Rat, Chicken, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52kDa KDa

SUV420H1 antibody - C-terminal region - Additional Information

Alias Symbol **CGI85, KMT5B, CGI-85**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-SUV420H1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SUV420H1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SUV420H1 antibody - C-terminal region - Protein Information**SUV420H1 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SUV420H1 antibody - C-terminal region - Images



Rabbit Anti-SUV420H1 Antibody Paraffin Embedded Tissue: Human Skin
Cellular Data: Squamous epithelial cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-SUV420H1 Antibody Titration: 1.25 µg/ml
Positive Control: Jurkat Whole Cell

SUV420H1 antibody - C-terminal region - References

Strausberg, R.L., et al., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.