

Rcor2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10705**Specification**

Rcor2 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8°C796
Other Accession	NM_054048 , NP_473389
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted Host	Mouse, Rat, Rabbit, Zebrafish, Pig, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 53kDa KDa

Rcor2 antibody - C-terminal region - Additional Information

Alias Symbol **1A13, AW122124, CoREST, Rcor, Rcor1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Rcor2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Rcor2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Rcor2 antibody - C-terminal region - Protein Information**Rcor2 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Rcor2 antibody - C-terminal region - Images



WB Suggested Anti-Rcor2 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Small Intestine