

TRIM14 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10719**Specification**

TRIM14 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q5TBQ8
Other Accession	NM_033221 , NP_150090
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

TRIM14 antibody - N-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TRIM14 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TRIM14 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TRIM14 antibody - N-terminal region - Protein Information**TRIM14 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TRIM14 antibody - N-terminal region - Images



WB Suggested Anti-TRIM14 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: Jurkat cell lysate

TRIM14 is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells

TRIM14 antibody - N-terminal region - References

Reymond, A., et al., (2001) EMBO J. 20 (9), 2140-2151
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.