

BRD9 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10740**Specification**

BRD9 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9H7R9
Other Accession	NM_023924 , NP_076413
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 26kDa KDa

BRD9 antibody - N-terminal region - Additional Information

Alias Symbol **PRO9856, LAVS3040**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-BRD9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


BRD9 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BRD9 antibody - N-terminal region - Protein Information**BRD9 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BRD9 antibody - N-terminal region - Images



WB Suggested Anti-BRD9 Antibody Titration: 2.5µg/ml

ELISA Titer: 1:62500

Positive Control: Jurkat cell lysate

BRD9 is supported by BioGPS gene expression data to be expressed in Jurkat

BRD9 antibody - N-terminal region - References

Clark, H.F., et al., (2003) Genome Res. 13 (10), 2265-2270
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.