10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CLIC5 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10811

Specification

CLIC5 antibody - C-terminal region - Product Information

Application	**IHC, WB**
Primary Accession	Q53G01
Other Accession	NM_016929, NP_058625
Reactivity	**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog**
Predicted	**Human, Mouse, Rat, Pig, Chicken**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**28kDa KDa**

CLIC5 antibody - C-terminal region - Additional Information

Alias Symbol	**MST130, MSTP130**

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-CLIC5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
CLIC5 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CLIC5 antibody - C-terminal region - Protein Information


CLIC5 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CLIC5 antibody - C-terminal region - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Human Heart



WB Suggested Anti-CLIC5 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:1562500
Positive Control: Jurkat cell lysate
There is BioGPS gene expression data showing that CLIC5 is expressed in Jurkat

CLIC5 antibody - C-terminal region - References

Berryman,M., et al., (2004) J. Biol. Chem. 279 (33), 34794-34801Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.