

ZNF230 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10881**Specification**

ZNF230 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9UIEQ
Other Accession	NM_006300 , NP_006291
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

ZNF230 antibody - N-terminal region - Additional Information**Gene ID 7773**

Alias Symbol	FDZF2
Other Names	
Zinc finger protein 230, Zinc finger protein FDZF2, ZNF230, FDZF2	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF230 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF230 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF230 antibody - N-terminal region - Protein Information**Name ZNF230****Synonyms FDZF2****Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF230 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF230 antibody - N-terminal region - Images



WB Suggested Anti-ZNF230 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: Jurkat cell lysate

ZNF230 antibody - N-terminal region - References

Shannon, M., et al., (2003) Genome Res. 13 (6A), 1097-1110
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.