

**BTBD15 antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI10903****Specification**

---

**BTBD15 antibody - C-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q86XX5</a>                                |
| Other Accession   | <a href="#">NM_014155</a> , <a href="#">NP_054874</a> |
| Reactivity        | Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog         |
| Predicted         | Human, Mouse, Rat, Dog                                |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 52kDa KDa                                             |

**BTBD15 antibody - C-terminal region - Additional Information**

Alias Symbol **BTBD15, ZNF851, HSPC063**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-BTBD15 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

BTBD15 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


**BTBD15 antibody - C-terminal region - Protein Information****BTBD15 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**BTBD15 antibody - C-terminal region - Images**

---



WB Suggested Anti-BTBD15 Antibody Titration: 0.2-1  $\mu$ g/ml  
ELISA Titer: 1:62500  
Positive Control: HepG2 cell lysate

#### **BTBD15 antibody - C-terminal region - References**

Strausberg, R.L., et al., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. Publications: Cooper, C. D. O. et al. Identification and characterization of peripheral T-cell lymphoma-associated SEREX antigens. PLoS One 6, e23916 (2011). WB, Human, Rabbit, Bovine, Dog, H, Guinea pig, Rat, Mouse 21887344