

ZNF77 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10921**Specification**

ZNF77 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q15935
Other Accession	NM_021217 , NP_067040
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	62kDa KDa

ZNF77 antibody - N-terminal region - Additional Information**Gene ID** 58492

Alias Symbol	pT1
Other Names	
Zinc finger protein 77, ZNFpT1, ZNF77	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF77 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF77 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF77 antibody - N-terminal region - Protein Information**Name** ZNF77**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF77 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF77 antibody - N-terminal region - Images



WB Suggested Anti-ZNF77 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:62500

Positive Control: Hela cell lysate

ZNF77 antibody - N-terminal region - References

Huebner, K., (1993) Hum. Genet. 91 (3), 217-222 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.