10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# ZSCAN5 antibody - middle region
**Rabbit Polyclonal Antibody**
**Catalog # AI10926**

## Specification

### ZSCAN5 antibody - middle region - Product Information

| | |
|---|---|
| Application | **WB** |
| Primary Accession | Q9BUG6 |
| Other Accession | NM_024303, NP_077279 |
| Reactivity | **Human** |
| Predicted | **Human** |
| Host | **Rabbit** |
| Clonality | **Polyclonal** |
| Calculated MW | **56kDa KDa** |

### ZSCAN5 antibody - middle region - Additional Information

**Gene ID** 79149

| | |
|---|---|
| Alias Symbol | **ZNF495, ZSCAN5** |

**Other Names**
Zinc finger and SCAN domain-containing protein 5A, Zinc finger protein 495, ZSCAN5A, ZNF495, ZSCAN5

**Format**
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**
Add 50 ul of distilled water. Final anti-ZSCAN5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**
ZSCAN5 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

### ZSCAN5 antibody - middle region - Protein Information

**Name** ZSCAN5A

**Synonyms** ZNF495, ZSCAN5

**Function**
May be involved in transcriptional regulation.

**Cellular Location**
Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

## ZSCAN5 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## ZSCAN5 antibody - middle region - Images




WB Suggested Anti-ZSCAN5 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: Transfected 293T

## ZSCAN5 antibody - middle region - References

Suzuki,Y., (1997) Gene 200 (1-2), 149-156Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.