

ZFP91 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10939**Specification**

ZFP91 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q96JP5
Other Accession	NM_053023 , NP_444251
Reactivity	Human, Mouse, Rat, Rabbit, Bovine, Horse, Dog
Predicted	Human, Mouse, Rat, Rabbit, Bovine, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	63kDa KDa

ZFP91 antibody - N-terminal region - Additional Information**Gene ID** 80829**Alias Symbol** PZF, DMS-8, DSM-8, FKSG11, ZFP-91, ZNF757**Other Names**

E3 ubiquitin-protein ligase ZFP91, 6.3.2.-, Zinc finger protein 757, Zinc finger protein 91 homolog, Zfp-91, ZFP91, ZNF757

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-ZFP91 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZFP91 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZFP91 antibody - N-terminal region - Protein Information**Name** ZFP91**Synonyms** ZNF757**Function**

Atypical E3 ubiquitin-protein ligase that mediates 'Lys-63'- linked ubiquitination of MAP3K14/NIK, leading to stabilize and activate MAP3K14/NIK. It thereby acts as an activator of the non-canonical NF- kappa-B2/NFKB2 pathway. May also play an important role in cell proliferation and/or

anti-apoptosis.

Cellular Location

Nucleus.


Tissue Location

Expressed ubiquitously, particularly at high level in testis. Isoform 2 is testis specific

ZFP91 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZFP91 antibody - N-terminal region - Images

WB Suggested Anti-ZFP91 Antibody Titration: 0.25 µg/ml

Positive Control: Jurkat Whole Cell

ZFP91 antibody - N-terminal region - References

Unoki, M., (2003) Int. J. Oncol. 22 (6), 1217-1223
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.