10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

DHX38 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10980

Specification

DHX38 antibody - middle region - Product Information

Application	**WB**
Primary Accession	Q92620
Other Accession	NM_014003, NP_054722
Reactivity	**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog**
Predicted	**Human, Rat, Rabbit, Zebrafish, Pig, Chicken**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**140kDa KDa**

DHX38 antibody - middle region - Additional Information

Gene ID 9785

Alias Symbol **DDX38, KIAA0224, PRP16, PRPF16**

Other Names
Pre-mRNA-splicing factor ATP-dependent RNA helicase PRP16, 3.6.4.13, ATP-dependent RNA helicase DHX38, DEAH box protein 38, DHX38, DDX38, KIAA0224, PRP16

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-DHX38 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
DHX38 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

DHX38 antibody - middle region - Protein Information

Name DHX38

Synonyms DDX38, KIAA0224, PRP16

Function
Probable ATP-binding RNA helicase (Probable). Involved in pre-mRNA splicing as component of the spliceosome (PubMed:29301961, PubMed:9524131).

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999


Cellular Location
Nucleus.

DHX38 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

DHX38 antibody - middle region - Images



WB Suggested Anti-DHX38 Antibody Titration: 1.0 µg/ml
Positive Control: OVCAR-3 Whole Cell