

MCM9 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11012**Specification**

MCM9 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	B3KV41
Other Accession	NM_153255 , NP_694987
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Bovine, Dog
Predicted Host	Human, Mouse, Pig, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 44kDa kDa

MCM9 antibody - N-terminal region - Additional Information

Alias Symbol	C6orf61, FLJ13942, FLJ20170, MCMDC1, MGC35304, dj329L24.1, dj329L24.3
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MCM9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


MCM9 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MCM9 antibody - N-terminal region - Protein Information**MCM9 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MCM9 antibody - N-terminal region - Images




WB Suggested Anti-MCM9 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:12500

Positive Control: Jurkat cell lysate

MCM9 is supported by BioGPS gene expression data to be expressed in Jurkat



WB Suggested Anti-MCM9 antibody Titration: 1 µg/ml

Sample Type: Human liver

MCM9 antibody - N-terminal region - References

Maiorano,D., (2006) Curr. Opin. Cell Biol. 18 (2), 130-136 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.