10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Thrb antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11090

Specification

Thrb antibody - N-terminal region - Product Information

Application	**CHIP, WB**
Primary Accession	P37244
Other Accession	NM_009380, NP_033406
Reactivity	**Human, Mouse, Rat, Pig, Horse, Bovine**
Predicted	**Mouse, Rat**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**52kDa KDa**

Thrb antibody - N-terminal region - Additional Information

Alias Symbol	**Nr1a2, T3R[b], T3Rbeta, Thrb1, Thrb2, c-erbAbeta**

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 100 ul of distilled water. Final anti-Thrb antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
Thrb antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Thrb antibody - N-terminal region - Protein Information


Thrb antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Thrb antibody - N-terminal region - Images


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Application:Â ChIP
Sample Type: mouse liver tissue Chromatin Used: 100ug tissue Antibody Used: 10ug Â Image Submitted by: Joanna DiSpirito University of PennsylvaniaÂ



Application:Â ChIP
Sample Type: mouse liver tissue Chromatin Used: 100ug tissue Antibody Used: 10ug Â Image Submitted by: Joanna DiSpirito University of PennsylvaniaÂ



WB Suggested Anti-Thrb Antibody Titration: 1.25µg/ml
Positive Control: SP2/0 cell lysate

Thrb antibody - N-terminal region - References

Furuya,F., (2006) Proc. Natl. Acad. Sci. U.S.A. 103 (6), 1780-1785Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.