

FOXF1A antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11110**Specification**

FOXF1A antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q61080
Other Accession	NM_010426 , NP_034556
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog
Predicted Host	Human, Chicken
Clonality	Rabbit
Calculated MW	Polyclonal 39kDa KDa

FOXF1A antibody - C-terminal region - Additional Information**Gene ID** 15227**Alias Symbol** Hfh8, Foxf1, HFH-8, FREAC1, Freac-1, AI450827, FOXF1A**Other Names**

Forkhead box protein F1, Forkhead-related protein FKHL5, Forkhead-related transcription factor 1, FREAC-1, Hepatocyte nuclear factor 3 forkhead homolog 8, HFH-8, Foxf1, Fkhl5, Foxf1a, Freac1, Hfh8

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-FOXF1A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

FOXF1A antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FOXF1A antibody - C-terminal region - Protein Information**Name** Foxf1**Synonyms** Fkhl5, Foxf1a, Freac1, Hfh8**Function**

Probable transcription activator for a number of lung- specific genes.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089}.

Tissue Location


Expressed primarily in lung in alveolar type II pneumocyte cells, and to a lesser extent in placenta, stomach, intestine and colon.

FOXF1A antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FOXF1A antibody - C-terminal region - Images



WB Suggested Anti-FOXF1A Antibody Titration: 2.5µg/ml

ELISA Titer: 1:12500

Positive Control: SP2/0 cell lysate

FOXF1A antibody - C-terminal region - References

Ormestad, M., et al., (2006) Development 133 (5), 833-843
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.