10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Msc antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11125

Specification

Msc antibody - C-terminal region - Product Information

Application	**WB**
Primary Accession	O88940
Other Accession	NM_010827, NP_034957
Reactivity	**Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog**
Predicted	**Rat, Rabbit, Chicken, Horse, Bovine, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**21kDa KDa**

Msc antibody - C-terminal region - Additional Information

Gene ID 17681

Alias Symbol	**MyoR, bHLHa22**

Other Names
Musculin, Myogenic repressor, Msc, Myor

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-Msc antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
Msc antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Msc antibody - C-terminal region - Protein Information

Name Msc

Synonyms Myor

Function
Transcription repressor that blocks myogenesis and activation of E-box dependent muscle genes.

Cellular Location
Nucleus.


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Msc antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Msc antibody - C-terminal region - Images



WB Suggested Anti-Msc Antibody Titration: 0.2-1 µg/ml
Positive Control: Mouse Small Instestine