

Sra1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11189**Specification**

Sra1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q80VJ2
Other Accession	NM_025291 , NP_079567
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Pig, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 24kDa KDa

Sra1 antibody - N-terminal region - Additional Information**Gene ID** 24068**Alias Symbol** AA959952, SRA, STRAA1, Strra1, Sra, Srap, Straa1**Other Names**Steroid receptor RNA activator 1, Steroid receptor RNA activator protein, SRAP, Sra1
{ECO:0000312|MGI:MGI:1344414}**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Sra1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Sra1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Sra1 antibody - N-terminal region - Protein Information**Name** Sra1 {ECO:0000312|MGI:MGI:1344414}**Function**

Functional RNA which acts as a transcriptional coactivator that selectively enhances steroid receptor-mediated transactivation ligand-independently through a mechanism involving the modulating N- terminal domain (AF-1) of steroid receptors. Also mediates transcriptional coactivation of steroid receptors ligand-dependently through the steroid-binding domain (AF-2). Enhances cellular proliferation and differentiation and promotes apoptosis in vivo. May play a role in tumorigenesis (By similarity).


Cellular Location

Nucleus {ECO:0000250|UniProtKB:Q9HD15}. Cytoplasm {ECO:0000250|UniProtKB:Q9HD15}

Sra1 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Sra1 antibody - N-terminal region - Images

WB Suggested Anti-Sra1 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Mouse Small Intestine