

HSFY2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11200**Specification**

HSFY2 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q80Y37
Other Accession	NM_027661 , NP_081937
Reactivity	Mouse, Rat
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	43kDa KDa

HSFY2 antibody - C-terminal region - Additional Information

Alias Symbol **Hspy2l, 4933413G11Rik**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-HSFY2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


HSFY2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HSFY2 antibody - C-terminal region - Protein Information**HSFY2 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HSFY2 antibody - C-terminal region - Images



90 kDa
59 kDa
38 kDa
28 kDa
17 kDa

WB Suggested Anti-HSFY2 Antibody Titration: 2.5µg/ml

ELISA Titer: 1:12500

Positive Control: NIH/3T3 cell lysate

HSFY2 antibody - C-terminal region - References

Strausberg, R.L., et al., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.