10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Twist1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11347

Specification

Twist1 antibody - N-terminal region - Product Information

Application	**WB**
Primary Accession	Q9EPJ1
Other Accession	NM_053530, NP_445982
Reactivity	**Human, Mouse, Rat, Zebrafish, Horse, Bovine**
Predicted	**Rat, Zebrafish, Pig, Chicken, Horse, Bovine**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**22kDa KDa**

Twist1 antibody - N-terminal region - Additional Information

Alias Symbol	**Twist**

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-Twist1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
Twist1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Twist1 antibody - N-terminal region - Protein Information


Twist1 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Twist1 antibody - N-terminal region - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



WB Suggested Anti-Twist1 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Liver

Twist1 antibody - N-terminal region - Citations

- Inhibition of ATM reverses EMT and decreases metastatic potential of cisplatin-resistant lung cancer cells through JAK/STAT3/PD-L1 pathway.
- Effects of secreted frizzled-related protein 1 on proliferation, migration, invasion, and apoptosis of colorectal cancer cells.