10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZNF133 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11393

Specification

ZNF133 antibody - middle region - Product Information

Application	**IF, WB**
Primary Accession	Q53XU1
Other Accession	NM_003434, NP_003425
Reactivity	**Human, Rabbit, Pig**
Predicted	**Human, Pig**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**73kDa KDa**

ZNF133 antibody - middle region - Additional Information

Alias Symbol **ZNF150, pHZ-13, pHZ-66**

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-ZNF133 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
ZNF133 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF133 antibody - middle region - Protein Information


ZNF133 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF133 antibody - middle region - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Three cryosections on each slide were stained with a single antibody. The fourth slice was used as a negative control (primary antibody omitted). The tissue was fixed with cold acetone for 10 minutes, rinsed in phosphate buffered saline (PBS) and incubated with the primary antibody diluted in 1% bovine serum albumin (BSA) in PBS for 1 hour at room temperature.Rabbit anti human antibodies and dilutions used:e) ZNF133 (38332), most suitable concentration 1:100



WB Suggested Anti-ZNF133 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: THP-1 cell lysate

ZNF133 antibody - middle region - References

Lee,S.J., (2007) Exp. Mol. Med. 39 (4), 450-457 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.