

RBL2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11441**Specification**

RBL2 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	B7Z913
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56kDa KDa

RBL2 Antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RBL2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


RBL2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RBL2 Antibody - C-terminal region - Protein Information**RBL2 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RBL2 Antibody - C-terminal region - Images



168 kDa
144 kDa
90 kDa
65 kDa
40 kDa

Host: Rabbit
Target Name: RBL2
Sample Tissue: Liver Tumor lysates
Antibody Dilution: 1.0 μ g/ml