

PDLIM5 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11463**Specification**

PDLIM5 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5UW38
Other Accession	NM_006457 , NP_006448
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	64kDa KDa

PDLIM5 antibody - C-terminal region - Additional Information

Alias Symbol **L9, ENH, LIM, ENH1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-PDLIM5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PDLIM5 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PDLIM5 antibody - C-terminal region - Protein Information**PDLIM5 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PDLIM5 antibody - C-terminal region - Images



WB Suggested Anti-PDLIM5 Antibody Titration: 2.5µg/ml

ELISA Titer: 1:1562500

Positive Control: HepG2 cell lysate

There is BioGPS gene expression data showing that PDLIM5 is expressed in HepG2

PDLIM5 antibody - C-terminal region - References

Lasorella, A. (2006) Proc. Natl. Acad. Sci. U.S.A. 103 (13), 4976-4981
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.