

Hoxb9 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11521**Specification**

Hoxb9 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A2A9Z6
Other Accession	NM_008270 , NP_032296
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

Hoxb9 antibody - C-terminal region - Additional Information

Alias Symbol	Hox-2.5, MGC124051, MGC124052, MGC124053, MGC124054
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Hoxb9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Hoxb9 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Hoxb9 antibody - C-terminal region - Protein Information**Hoxb9 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Hoxb9 antibody - C-terminal region - Images



WB Suggested Anti-Hoxb9 Antibody Titration: 1.0 μ g/ml
Positive Control: Mouse Thymus