

BBX antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11547**Specification**

BBX antibody - middle region - Product Information

Application	WB
Primary Accession	Q8WY36-2
Other Accession	NM_020235 , NP_064620
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	101kDa KDa

BBX antibody - middle region - Additional Information

Alias Symbol **HSPC339, MDS001, HBP2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BBX antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


BBX antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

BBX antibody - middle region - Protein Information**BBX antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BBX antibody - middle region - Images



WB Suggested Anti-BBX Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: COLO205 cell lysate

BBX antibody - middle region - References

Reijo,R., (2001) Curr. Genet. 40 (2), 110-118 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.