

ZNF687 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11553**Specification**

ZNF687 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8N1G0
Other Accession	NM_020832 , NP_065883
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Rabbit, Pig, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 129kDa KDa

ZNF687 antibody - C-terminal region - Additional Information**Gene ID** 57592**Alias Symbol** DKFZp781I1719, KIAA1441, RP11-126K1.3
Other Names
Zinc finger protein 687, ZNF687, KIAA1441**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF687 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF687 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF687 antibody - C-terminal region - Protein Information**Name** ZNF687**Synonyms** KIAA1441**Function**

May be involved in transcriptional regulation.

Cellular Location

Cytoplasm. Nucleus Note=Predominantly nuclear (PubMed:26849110). Localizes to sites of DNA damage (PubMed:27732854).


Tissue Location

Widely expressed with highest levels in ovary, muscle, blood and lung.

ZNF687 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF687 antibody - C-terminal region - Images

WB Suggested Anti-ZNF687 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:12500

Positive Control: 293T cell lysate

ZNF687 antibody - C-terminal region - References

Olsen, J.V., (2006) Cell 127 (3), 635-648 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.