

**ZNF655 antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI11585****Specification**

---

**ZNF655 antibody - N-terminal region - Product Information**

|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Application       | WB                                                          |
| Primary Accession | <a href="#">Q8N720</a>                                      |
| Other Accession   | <a href="#">NM_001009960</a> , <a href="#">NP_001009960</a> |
| Reactivity        | Human, Rat, Rabbit, Bovine, Dog                             |
| Predicted         | Dog                                                         |
| Host              | Rabbit                                                      |
| Clonality         | Polyclonal                                                  |
| Calculated MW     | 54kDa KDa                                                   |

**ZNF655 antibody - N-terminal region - Additional Information****Gene ID** 79027**Alias Symbol** VIK, VIK-1**Other Names**

Zinc finger protein 655, Vav-interacting Krueppel-like protein, ZNF655, VIK

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 100 ul of distilled water. Final anti-ZNF655 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

ZNF655 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**ZNF655 antibody - N-terminal region - Protein Information****Name** ZNF655**Synonyms** VIK**Function**

May be involved in transcriptional regulation.

**Cellular Location**


Nucleus.

## ZNF655 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## ZNF655 antibody - N-terminal region - Images



WB Suggested Anti-ZNF655 Antibody Titration: 1.25µg/ml  
Positive Control: HepG2 cell lysate

## ZNF655 antibody - N-terminal region - References

Houlard, M., (2005) Oncogene 24 (1), 28-38  
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.