

RFX4 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # Al11603

Specification

RFX4 antibody - N-terminal region - Product Information

Application Primary Accession Other Accession Reactivity

Predicted

Host Clonality Calculated MW WB <u>Q33E94</u> <u>NM_002920</u>, <u>NP_002911</u> Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Bovine Rabbit Polyclonal 64kDa KDa

RFX4 antibody - N-terminal region - Additional Information

Gene ID 5992

Alias Symbol NYD-SP10 Other Names Transcription factor RFX4, Regulatory factor X 4, Testis development protein NYD-SP10, RFX4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RFX4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions RFX4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RFX4 antibody - N-terminal region - Protein Information

Name RFX4

Function

Transcription factor that plays a role in early brain development. May activate transcription by interacting directly with the X-box. May activate transcription from CX3CL1 promoter through the X-box during brain development. May be required for neural tube ciliogenesis during embryogenesis (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00858}.



Tissue Location


Isoform 1: Expressed in brain and gliomas (at protein level). Isoform 2: Testis-specific (at protein level). Isoform 3: Testis-specific (at protein level). Isoform 3: Expressed at a higher level in adult testes and ejaculated spermatozoa than in fetal testes Isoform 4: Testis-specific.

RFX4 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

RFX4 antibody - N-terminal region - Images



WB Suggested Anti-RFX4 Antibody Titration: 0.2-1 µg/ml ELISA Titer: 1:312500 Positive Control: Human Lung

RFX4 antibody - N-terminal region - References

Zhang,D., (2008) J. Biol. Chem. 283 (13), 8580-8590 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.