10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZNF382 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11607

Specification

ZNF382 antibody - N-terminal region - Product Information

Application	**WB**
Primary Accession	Q96SR6
Other Accession	NM_032825, NP_116214
Reactivity	**Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog**
Predicted	**Human, Pig, Horse, Bovine, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**64kDa KDa**

ZNF382 antibody - N-terminal region - Additional Information

Gene ID 84911

Alias Symbol	**KS1**

Other Names
Zinc finger protein 382, KRAB/zinc finger suppressor protein 1, KS1, Multiple zinc finger and krueppel-associated box protein KS1, ZNF382

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 100 ul of distilled water. Final anti-ZNF382 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
ZNF382 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF382 antibody - N-terminal region - Protein Information

Name ZNF382

Function
Functions as a sequence-specific transcriptional repressor.

Cellular Location
Nucleus.

Tissue Location
Specifically expressed in heart with a weaker expression also detected in skeletal muscle

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZNF382 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF382 antibody - N-terminal region - Images



WB Suggested Anti-ZNF382 Antibody Titration: 1.25µg/ml
ELISA Titer: 1:1562500
Positive Control: Jurkat cell lysate

ZNF382 antibody - N-terminal region - References

Luo,K., (2002) Biochem. Biophys. Res. Commun. 299 (4), 606-612Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.