

HDX antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11627**Specification**

HDX antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q7Z353
Other Accession	NM_144657 , NP_653258
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Dog
Predicted	Human, Mouse, Rabbit, Chicken, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	77kDa KDa

HDX antibody - N-terminal region - Additional Information**Gene ID** 139324**Alias Symbol** CXorf43, D030011N01Rik, FLJ30678, MGC126769, MGC126771**Other Names**

Highly divergent homeobox, HDX, CXorf43

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-HDX antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

HDX antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HDX antibody - N-terminal region - Protein Information**Name** HDX**Synonyms** CXorf43**Cellular Location**


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108}.

HDX antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HDX antibody - N-terminal region - Images



WB Suggested Anti-HDX Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:12500

Positive Control: ACHN cell lysate

HDX antibody - N-terminal region - References

Strausberg, R.L., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.