

ZNF342 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11634**Specification**

ZNF342 antibody - C-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q8WUU4
Other Accession	NM_145288 , NP_660331
Reactivity	Human, Rat, Rabbit, Dog
Predicted	Human, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	51kDa KDa

ZNF342 antibody - C-terminal region - Additional Information**Gene ID** 162979**Alias Symbol** ZFP296, ZNF342**Other Names**

Zinc finger protein 296, ZFP296, Zinc finger protein 342, ZNF296, ZNF342

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF342 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF342 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF342 antibody - C-terminal region - Protein Information**Name** ZNF296**Synonyms** ZNF342**Function**

May be a transcriptional corepressor with KLF4.

Cellular Location


Nucleus {ECO:0000250|UniProtKB:E9Q6W4}.

ZNF342 antibody - C-terminal region - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZNF342 antibody - C-terminal region - Images



Human kidney



Human Stomach



WB Suggested Anti-ZNF342 Antibody Titration: 0.125µg/ml
ELISA Titer: 1:62500

Positive Control: Jurkat cell lysate

ZNF342 antibody - C-terminal region - References

Strausberg, R.L., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.