

TTC19 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11682**Specification**

TTC19 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9CYS5
Other Accession	NM_028360 , NP_082636
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Dog
Predicted	Human, Mouse, Rat, Rabbit, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

TTC19 antibody - C-terminal region - Additional Information

Alias Symbol	AI505442, 2010204O13Rik, 2810460C24Rik, RP23-330N10.4
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-TTC19 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TTC19 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TTC19 antibody - C-terminal region - Protein Information**TTC19 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TTC19 antibody - C-terminal region - Images



WB Suggested Anti-TTC19 Antibody Titration: 1.25µg/ml

ELISA Titer: 1:1562500

Positive Control: NIH/3T3 cell lysate