

INSIG1 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11689**Specification**

INSIG1 antibody - middle region - Product Information

Application	WB
Primary Accession	A4D2M9
Other Accession	NM_198336 , NP_938150
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	36kDa KDa

INSIG1 antibody - middle region - Additional Information

Alias Symbol **CL-6, MGC1405, CL6**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-INSIG1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


INSIG1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

INSIG1 antibody - middle region - Protein Information**INSIG1 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

INSIG1 antibody - middle region - Images



90 kDa
65 kDa
40 kDa
31 kDa
22 kDa

WB Suggested Anti-INSIG1 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: Human Lung

INSIG1 antibody - middle region - References

Roth,A., (2008) Mol. Pharmacol. 73 (4), 1282-1289 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.