

**U2AF2 antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI11721****Specification**

---

**U2AF2 antibody - C-terminal region - Product Information**

|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Application       | WB                                                          |
| Primary Accession | <a href="#">Q80XR5</a>                                      |
| Other Accession   | <a href="#">NM_001012478</a> , <a href="#">NP_001012496</a> |
| Reactivity        | Human, Mouse, Rat, Zebrafish, Horse, Yeast, Bovine, Dog     |
| Predicted Host    | Human, Mouse, Rat, Zebrafish, Bovine                        |
| Clonality         | Rabbit                                                      |
| Calculated MW     | Polyclonal<br>53kDa KDa                                     |

**U2AF2 antibody - C-terminal region - Additional Information**

Alias Symbol **U2AF65**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-U2AF2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

U2AF2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


**U2AF2 antibody - C-terminal region - Protein Information****U2AF2 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**U2AF2 antibody - C-terminal region - Images**

---



WB Suggested Anti-U2AF2 Antibody Titration: 0.2-1  $\mu$ g/ml

ELISA Titer: 1:62500

Positive Control: HepG2 cell lysate

There is BioGPS gene expression data showing that U2AF2 is expressed in HepG2